

CONCERTED REACTIONS ORGANIC CHEMISTRY

THE ROLE OF CONCERTED REACTIONS IN ORGANIC CHEMISTRY

CONCERTED REACTIONS ORGANIC CHEMISTRY REPRESENTS A FUNDAMENTAL CLASS OF TRANSFORMATIONS WHERE BOND BREAKING AND BOND FORMATION OCCUR SIMULTANEOUSLY WITHIN A SINGLE STEP. THIS ELEGANT DANCE OF ATOMS SIMPLIFIES REACTION MECHANISMS AND PROVIDES A POWERFUL PREDICTIVE TOOL FOR CHEMISTS. UNLIKE STEPWISE PROCESSES THAT INVOLVE DISCRETE INTERMEDIATES, CONCERTED REACTIONS PROCEED THROUGH A SINGLE TRANSITION STATE, MAKING THEM HIGHLY EFFICIENT AND OFTEN STEREOSPECIFIC. UNDERSTANDING THESE REACTIONS IS CRUCIAL FOR PREDICTING REACTION OUTCOMES, DESIGNING SYNTHETIC STRATEGIES, AND UNRAVELING THE INTRICATE PATHWAYS OF ORGANIC TRANSFORMATIONS. THIS ARTICLE WILL DELVE DEEP INTO THE CHARACTERISTICS, MECHANISMS, AND IMPORTANCE OF CONCERTED REACTIONS, EXPLORING VARIOUS EXAMPLES AND THEIR SIGNIFICANCE IN MODERN ORGANIC CHEMISTRY.

TABLE OF CONTENTS

WHAT ARE CONCERTED REACTIONS?

KEY CHARACTERISTICS OF CONCERTED REACTIONS

MECHANISMS OF CONCERTED REACTIONS

TYPES OF CONCERTED REACTIONS

EXAMPLES OF CONCERTED REACTIONS

THE SIGNIFICANCE OF CONCERTED REACTIONS IN ORGANIC SYNTHESIS

FACTORS INFLUENCING CONCERTED REACTIONS

CONCLUSION

WHAT ARE CONCERTED REACTIONS?

CONCERTED REACTIONS, IN THE REALM OF ORGANIC CHEMISTRY, ARE DEFINED BY THE SIMULTANEOUS REARRANGEMENT OF ELECTRONS AND NUCLEI. IMAGINE A PERFECTLY CHOREOGRAPHED BALLET WHERE EVERY DANCER MOVES PRECISELY IN SYNC; THAT'S ESSENTIALLY WHAT HAPPENS IN A CONCERTED REACTION. ALL THE BONDS THAT ARE DESTINED TO BREAK BEGIN TO WEAKEN, AND ALL THE BONDS THAT ARE DESTINED TO FORM BEGIN TO ARISE, ALL WITHIN THE SAME MOMENT. THIS SINGULAR, CONTINUOUS MOTION AVOIDS THE FORMATION OF ANY LONG-LIVED INTERMEDIATE SPECIES, WHICH ARE OFTEN UNSTABLE AND DIFFICULT TO DETECT.

THIS CHARACTERISTIC SETS THEM APART FROM STEPWISE REACTIONS, WHERE INTERMEDIATE SPECIES, LIKE CARBOCATIONS OR CARBANIONS, ARE FORMED AND THEN REACT FURTHER. THE ABSENCE OF THESE INTERMEDIATES IN CONCERTED PATHWAYS SIMPLIFIES THE OVERALL REACTION PROFILE AND DICTATES SPECIFIC STEREOCHEMICAL OUTCOMES THAT ARE PREDICTABLE AND CONTROLLABLE. THIS SINGLE-STEP NATURE MEANS THAT THE ENTIRE TRANSFORMATION IS GOVERNED BY A SINGLE ACTIVATION ENERGY BARRIER, LEADING TO A UNIQUE TRANSITION STATE THAT REPRESENTS THE HIGHEST ENERGY POINT ALONG THE REACTION COORDINATE.

KEY CHARACTERISTICS OF CONCERTED REACTIONS

SEVERAL DEFINING FEATURES DISTINGUISH CONCERTED REACTIONS FROM OTHER TYPES OF CHEMICAL TRANSFORMATIONS. ONE OF THE MOST CRITICAL ASPECTS IS THE SINGLE-STEP NATURE OF THE REACTION. THIS MEANS THAT THE ENTIRE PROCESS, FROM REACTANTS TO PRODUCTS, TRANSPIRES THROUGH ONE CONTINUOUS PATHWAY WITHOUT THE INTERVENTION OF ISOLABLE INTERMEDIATES. THIS DIRECT CONVERSION STREAMLINES THE REACTION MECHANISM AND CONTRIBUTES TO ITS EFFICIENCY.

ANOTHER HALLMARK IS THE HIGH DEGREE OF STEREOSPECIFICITY OFTEN OBSERVED IN CONCERTED REACTIONS. BECAUSE THE BOND BREAKING AND FORMING OCCUR IN A SPECIFIC ORIENTATION WITHIN THE TRANSITION STATE, THE SPATIAL ARRANGEMENT OF ATOMS IN THE REACTANTS DIRECTLY DICTATES THE SPATIAL ARRANGEMENT OF ATOMS IN THE PRODUCTS. THIS MEANS THAT IF YOU START WITH A SPECIFIC STEREOISOMER, YOU WILL END UP WITH A PREDICTABLE AND SPECIFIC STEREOISOMER OF THE PRODUCT, A FEATURE THAT IS INVALUABLE IN ORGANIC SYNTHESIS.

FURTHERMORE, CONCERTED REACTIONS ARE TYPICALLY CHARACTERIZED BY A WELL-DEFINED TRANSITION STATE. THIS TRANSITION STATE IS A HIGH-ENERGY, TRANSIENT ARRANGEMENT OF ATOMS WHERE BONDS ARE PARTIALLY BROKEN AND PARTIALLY FORMED. IT IS THE HIGHEST POINT ON THE POTENTIAL ENERGY SURFACE FOR THE REACTION. THE GEOMETRY AND ELECTRONIC STRUCTURE OF THIS TRANSITION STATE ARE CRUCIAL FOR UNDERSTANDING THE REACTION'S STEREOCHEMISTRY AND REGIOCHEMISTRY, OR WHERE ON A MOLECULE THE REACTION OCCURS.

FINALLY, THESE REACTIONS OFTEN EXHIBIT KINETIC CONTROL, MEANING THAT THE RATE OF THE REACTION IS DIRECTLY INFLUENCED BY THE STRUCTURE OF THE REACTANTS AND THE CONDITIONS UNDER WHICH THE REACTION IS CARRIED OUT. CHANGES IN CONCENTRATION, TEMPERATURE, OR SOLVENT CAN SIGNIFICANTLY IMPACT THE REACTION RATE. THIS SENSITIVITY ALLOWS CHEMISTS TO FINE-TUNE REACTION CONDITIONS TO OPTIMIZE YIELDS AND SELECTIVITIES.

MECHANISMS OF CONCERTED REACTIONS

THE MECHANISMS OF CONCERTED REACTIONS ARE ELEGANTLY EXPLAINED BY THE PRINCIPLES OF ORBITAL OVERLAP AND MOLECULAR ORBITAL THEORY. THE KEY TO UNDERSTANDING HOW BONDS BREAK AND FORM SIMULTANEOUSLY LIES IN THE SYNCHRONIZED MOVEMENT OF ELECTRONS. THESE ELECTRON SHIFTS, OFTEN DEPICTED USING CURVED ARROWS IN REACTION MECHANISMS, ILLUSTRATE THE FLOW OF ELECTRON DENSITY DURING THE TRANSFORMATION.

A CENTRAL CONCEPT IS THE CONCERTED MOVEMENT OF ELECTRONS THROUGH A CYCLIC TRANSITION STATE. IN THIS TRANSITION STATE, ELECTRONS DELOCALIZE AND PARTICIPATE IN THE SIMULTANEOUS BREAKING OF EXISTING BONDS AND THE FORMATION OF NEW ONES. THIS DELOCALIZATION STABILIZES THE TRANSITION STATE, LOWERING THE ACTIVATION ENERGY AND FACILITATING THE REACTION. THE SYMMETRY AND RELATIVE ENERGIES OF THE FRONTIER MOLECULAR ORBITALS (THE HIGHEST OCCUPIED MOLECULAR ORBITAL, OR HOMO, AND THE LOWEST UNOCCUPIED MOLECULAR ORBITAL, OR LUMO) OF THE REACTING SPECIES PLAY A PIVOTAL ROLE IN DETERMINING WHETHER A CONCERTED REACTION CAN OCCUR AND WHAT ITS STEREOCHEMICAL OUTCOME WILL BE.

FOR INSTANCE, IN PERICYCLIC REACTIONS, WHICH ARE A SIGNIFICANT CLASS OF CONCERTED TRANSFORMATIONS, THE INTERACTION OF ATOMIC OR MOLECULAR ORBITALS IN A CYCLIC ARRAY OF ATOMS IS PARAMOUNT. THESE INTERACTIONS LEAD TO A CYCLIC TRANSITION STATE WHERE THE ELECTRONS ARE HIGHLY DELOCALIZED. THE RULES GOVERNING THESE ORBITAL INTERACTIONS, SUCH AS THE WOODWARD-HOFFMANN RULES, PROVIDE A ROBUST FRAMEWORK FOR PREDICTING THE FEASIBILITY AND STEREOCHEMISTRY OF SUCH CONCERTED PROCESSES.

TYPES OF CONCERTED REACTIONS

ORGANIC CHEMISTRY BOASTS A DIVERSE ARRAY OF CONCERTED REACTIONS, EACH WITH ITS UNIQUE CHARACTERISTICS AND APPLICATIONS. THESE REACTIONS ARE OFTEN CATEGORIZED BASED ON THE TYPE OF ORBITAL INTERACTIONS INVOLVED OR THE SPECIFIC REARRANGEMENT OF ATOMS.

- **PERICYCLIC REACTIONS:** THIS IS PERHAPS THE MOST WELL-KNOWN AND EXTENSIVELY STUDIED CLASS OF CONCERTED REACTIONS. THEY INVOLVE A CYCLIC TRANSITION STATE AND A CYCLIC REDISTRIBUTION OF ELECTRONS.
- **SIGMATROPIC REARRANGEMENTS:** A TYPE OF PERICYCLIC REACTION WHERE A SIGMA BOND MIGRATES ACROSS A CONJUGATED PI SYSTEM.
- **CYCLOADDITION REACTIONS:** REACTIONS WHERE TWO OR MORE UNSATURATED MOLECULES COMBINE TO FORM A CYCLIC ADDUCT.
- **ELECTROCYCLIC REACTIONS:** REACTIONS INVOLVING THE FORMATION OR BREAKING OF A SIGMA BOND IN A CONJUGATED PI SYSTEM TO FORM A RING OR OPEN A RING.
- **DIELS-ALDER REACTION:** A HIGHLY IMPORTANT $[4+2]$ CYCLOADDITION REACTION BETWEEN A CONJUGATED DIENE AND A

DIENOPHILE, FORMING A CYCLOHEXENE RING.

- **ENE REACTIONS:** A TYPE OF CONCERTED REACTION THAT INVOLVES THE TRANSFER OF AN ALLYLIC HYDROGEN TO A DOUBLE BOND, ACCOMPANIED BY THE FORMATION OF A NEW SIGMA BOND AND MIGRATION OF THE PI BOND.
- **CHELETROPIC REACTIONS:** A TYPE OF REACTION WHERE TWO PI BONDS REACT WITH A REAGENT THAT HAS TWO UNBOUND ELECTRON PAIRS, FORMING A CYCLIC COMPOUND.

BEYOND PERICYCLIC REACTIONS, OTHER NOTABLE CONCERTED TRANSFORMATIONS INCLUDE CERTAIN TYPES OF NUCLEOPHILIC SUBSTITUTIONS AND ELIMINATIONS. FOR EXAMPLE, THE S_N2 REACTION IS A CLASSIC CONCERTED BIMOLECULAR NUCLEOPHILIC SUBSTITUTION WHERE THE NUCLEOPHILE ATTACKS THE CARBON ATOM FROM THE BACKSIDE OF THE LEAVING GROUP, LEADING TO INVERSION OF CONFIGURATION. SIMILARLY, SOME ELIMINATION REACTIONS PROCEED THROUGH A CONCERTED $E2$ MECHANISM, WHERE THE BASE ABSTRACTS A PROTON AND THE LEAVING GROUP DEPARTS SIMULTANEOUSLY.

EXAMPLES OF CONCERTED REACTIONS

TO TRULY GRASP THE CONCEPT OF CONCERTED REACTIONS, EXAMINING SPECIFIC EXAMPLES IS INVALUABLE. THE DIELS-ALDER REACTION STANDS AS A QUINTESSENTIAL EXAMPLE, OFTEN HAILED AS THE "SWISS ARMY KNIFE" OF ORGANIC SYNTHESIS. THIS $[4+2]$ CYCLOADDITION INVOLVES THE REACTION BETWEEN A CONJUGATED DIENE AND A DIENOPHILE, FORMING A SIX-MEMBERED RING. THE REACTION PROCEEDS THROUGH A HIGHLY ORDERED, CYCLIC TRANSITION STATE WHERE ALL BOND BREAKING AND BOND FORMING OCCUR SIMULTANEOUSLY, AND IT IS REMARKABLY STEREOSPECIFIC.

ANOTHER ILLUMINATING EXAMPLE IS THE $[3,3]$ -SIGMATROPIC REARRANGEMENT, COMMONLY KNOWN AS THE CLAISEN REARRANGEMENT. IN THIS REACTION, AN ALLYL VINYL ETHER UNDERGOES A CONCERTED REARRANGEMENT TO FORM A GAMMA, DELTA-UNSATURATED CARBONYL COMPOUND. THE ELECTRONS FLOW IN A SIX-MEMBERED CYCLIC TRANSITION STATE, BREAKING AND FORMING BONDS IN A SINGLE, SYNCHRONIZED STEP. THE STEREOCHEMISTRY OF THE PRODUCT IS DIRECTLY DICTATED BY THE CONFORMATION OF THE ALLYL VINYL ETHER IN ITS TRANSITION STATE.

THE S_N2 REACTION, AS MENTIONED EARLIER, IS A PRIME EXAMPLE OF A CONCERTED BIMOLECULAR NUCLEOPHILIC SUBSTITUTION. WHEN A NUCLEOPHILE ATTACKS AN ALKYL HALIDE, THE NUCLEOPHILE APPROACHES THE CARBON ATOM FROM THE SIDE OPPOSITE TO THE LEAVING GROUP. AS THE NUCLEOPHILE FORMS A NEW BOND, THE BOND BETWEEN THE CARBON AND THE LEAVING GROUP SIMULTANEOUSLY BREAKS. THIS PROCESS RESULTS IN AN INVERSION OF STEREOCHEMISTRY AT THE CARBON CENTER. THE TRANSITION STATE FOR AN S_N2 REACTION INVOLVES A CARBON ATOM THAT IS PARTIALLY BONDED TO BOTH THE INCOMING NUCLEOPHILE AND THE DEPARTING LEAVING GROUP, CREATING A TRIGONAL BIPYRAMIDAL GEOMETRY.

CONSIDER ALSO THE $E2$ ELIMINATION REACTION. HERE, A STRONG BASE ABSTRACTS A PROTON FROM A CARBON ATOM ADJACENT TO A CARBON BEARING A LEAVING GROUP. SIMULTANEOUSLY, THE ELECTRONS FROM THE BREAKING C-H BOND MOVE TO FORM A PI BOND BETWEEN THE TWO CARBON ATOMS, AND THE LEAVING GROUP DEPARTS. THIS CONCERTED PROCESS LEADS TO THE FORMATION OF AN ALKENE. THE STEREOCHEMISTRY IS OFTEN CONTROLLED BY THE REQUIREMENT FOR AN ANTI-PERIPLANAR ARRANGEMENT OF THE HYDROGEN AND THE LEAVING GROUP IN THE TRANSITION STATE.

THE SIGNIFICANCE OF CONCERTED REACTIONS IN ORGANIC SYNTHESIS

CONCERTED REACTIONS ARE NOT MERELY ACADEMIC CURIOSITIES; THEY ARE CORNERSTONES OF MODERN ORGANIC SYNTHESIS. THEIR PREDICTABLE STEREOCHEMICAL OUTCOMES AND HIGH EFFICIENCY MAKE THEM INDISPENSABLE TOOLS FOR CONSTRUCTING COMPLEX MOLECULES WITH PRECISE CONTROL OVER THEIR THREE-DIMENSIONAL STRUCTURES. THE ABILITY TO GENERATE SPECIFIC STEREOISOMERS IS PARAMOUNT IN THE PHARMACEUTICAL INDUSTRY, WHERE THE BIOLOGICAL ACTIVITY OF A DRUG OFTEN DEPENDS CRITICALLY ON ITS EXACT CONFIGURATION.

THE DIELS-ALDER REACTION, FOR INSTANCE, ALLOWS FOR THE RAPID CONSTRUCTION OF SIX-MEMBERED RINGS, WHICH ARE

UBIQUITOUS IN NATURAL PRODUCTS AND PHARMACEUTICALS. BY CHOOSING APPROPRIATE DIENES AND DIENOPHILES, CHEMISTS CAN INTRODUCE A VARIETY OF FUNCTIONAL GROUPS AND STEREOCENTERS IN A SINGLE STEP. THIS ATOM ECONOMY AND EFFICIENCY ARE HIGHLY VALUED IN SYNTHETIC ENDEAVORS, MINIMIZING WASTE AND MAXIMIZING PRODUCT FORMATION.

FURTHERMORE, UNDERSTANDING THE MECHANISTIC NUANCES OF CONCERTED REACTIONS ENABLES CHEMISTS TO DESIGN NOVEL SYNTHETIC ROUTES AND TO TROUBLESHOOT CHALLENGING TRANSFORMATIONS. THE PREDICTABILITY OFFERED BY THE WOODWARD-HOFFMANN RULES, FOR EXAMPLE, GUIDES THE SELECTION OF REACTION CONDITIONS AND STARTING MATERIALS TO ACHIEVE DESIRED OUTCOMES IN PERICYCLIC REACTIONS. THIS PREDICTIVE POWER SAVES IMMENSE TIME AND RESOURCES IN THE LABORATORY.

THE ABILITY TO PERFORM REACTIONS IN A CONCERTED MANNER OFTEN LEADS TO HIGHER YIELDS AND CLEANER REACTION PROFILES COMPARED TO STEPWISE PROCESSES, WHICH CAN GENERATE UNWANTED SIDE PRODUCTS FROM REACTIVE INTERMEDIATES. THIS ROBUSTNESS MAKES CONCERTED REACTIONS RELIABLE WORKHORSES IN BOTH ACADEMIC RESEARCH AND INDUSTRIAL-SCALE SYNTHESIS, CONTRIBUTING SIGNIFICANTLY TO THE ADVANCEMENT OF CHEMISTRY AND THE DEVELOPMENT OF NEW MATERIALS AND MEDICINES.

FACTORS INFLUENCING CONCERTED REACTIONS

WHILE CONCERTED REACTIONS ARE INHERENTLY DRIVEN BY ORBITAL SYMMETRY AND ELECTRONIC FACTORS, THEIR EFFICIENCY AND OUTCOME CAN BE MODULATED BY SEVERAL EXTERNAL FACTORS. UNDERSTANDING THESE INFLUENCES IS KEY TO OPTIMIZING REACTION CONDITIONS AND ACHIEVING DESIRED RESULTS.

- **SOLVENT EFFECTS:** THE POLARITY AND COORDINATING ABILITY OF THE SOLVENT CAN IMPACT THE SOLVATION OF REACTANTS AND TRANSITION STATES. POLAR PROTIC SOLVENTS, FOR EXAMPLE, CAN STABILIZE CHARGED SPECIES AND TRANSITION STATES THROUGH HYDROGEN BONDING, POTENTIALLY AFFECTING REACTION RATES AND EVEN PATHWAYS.
- **TEMPERATURE:** AS WITH MOST CHEMICAL REACTIONS, TEMPERATURE PLAYS A CRUCIAL ROLE. HIGHER TEMPERATURES GENERALLY INCREASE REACTION RATES BY PROVIDING MORE KINETIC ENERGY FOR MOLECULES TO OVERCOME THE ACTIVATION BARRIER. HOWEVER, IN SOME CASES, EXCESSIVE HEAT CAN LEAD TO UNWANTED SIDE REACTIONS OR DECOMPOSITION.
- **STERIC HINDRANCE:** THE PHYSICAL BULK OF SUBSTITUENTS ON THE REACTING MOLECULES CAN INFLUENCE THE APPROACH OF REACTANTS AND THE GEOMETRY OF THE TRANSITION STATE. SIGNIFICANT STERIC HINDRANCE CAN IMPEDE THE FORMATION OF THE REQUIRED TRANSITION STATE, SLOWING DOWN OR PREVENTING THE REACTION.
- **ELECTRONIC EFFECTS:** THE PRESENCE OF ELECTRON-DONATING OR ELECTRON-WITHDRAWING GROUPS ON THE REACTING SUBSTRATES CAN SIGNIFICANTLY ALTER THE ELECTRON DENSITY WITHIN THE MOLECULES, AFFECTING THE FRONTIER ORBITAL ENERGIES AND THE STABILITY OF THE TRANSITION STATE.
- **CATALYSTS:** WHILE NOT ALL CONCERTED REACTIONS REQUIRE CATALYSTS, SOME CAN BE ACCELERATED OR DIRECTED BY SPECIFIC CATALYTIC SPECIES. LEWIS ACIDS, FOR EXAMPLE, ARE OFTEN USED TO ACTIVATE DIENOPHILES IN DIELS-ALDER REACTIONS.

THE INTERPLAY OF THESE FACTORS DICTATES THE DELICATE BALANCE REQUIRED FOR A CONCERTED REACTION TO PROCEED SMOOTHLY AND SELECTIVELY. CAREFUL CONSIDERATION OF EACH ELEMENT ALLOWS CHEMISTS TO FINE-TUNE THEIR SYNTHETIC STRATEGIES AND ACHIEVE THE BEST POSSIBLE OUTCOMES. FOR INSTANCE, CHOOSING A NON-POLAR SOLVENT MIGHT BE BENEFICIAL FOR A REACTION WHERE THE TRANSITION STATE IS HIGHLY CHARGED, AS IT WOULD AVOID STABILIZING COMPETING POLAR PATHWAYS.

THE QUEST TO UNDERSTAND AND MANIPULATE CONCERTED REACTIONS CONTINUES TO BE A VIBRANT AREA OF RESEARCH. BY EXPLORING NOVEL REAGENTS, CATALYSTS, AND REACTION CONDITIONS, CHEMISTS ARE CONSTANTLY EXPANDING THE REPERTOIRE OF THESE POWERFUL TRANSFORMATIONS, PUSHING THE BOUNDARIES OF WHAT IS POSSIBLE IN MOLECULAR CONSTRUCTION. THIS

ONGOING EXPLORATION PROMISES EVEN MORE EFFICIENT AND SELECTIVE SYNTHETIC METHODOLOGIES FOR THE FUTURE.

Q: WHAT IS THE FUNDAMENTAL DIFFERENCE BETWEEN A CONCERTED REACTION AND A STEPWISE REACTION IN ORGANIC CHEMISTRY?

A: THE FUNDAMENTAL DIFFERENCE LIES IN THE NUMBER OF STEPS AND THE PRESENCE OF INTERMEDIATES. A CONCERTED REACTION OCCURS IN A SINGLE STEP WITH NO INTERMEDIATE SPECIES FORMED, PROCEEDING DIRECTLY FROM REACTANTS TO PRODUCTS THROUGH A SINGLE TRANSITION STATE. IN CONTRAST, A STEPWISE REACTION INVOLVES TWO OR MORE DISCRETE STEPS, WITH THE FORMATION OF ONE OR MORE STABLE OR TRANSIENT INTERMEDIATE SPECIES BETWEEN THE REACTANTS AND PRODUCTS.

Q: WHY ARE CONCERTED REACTIONS CONSIDERED STEREOSPECIFIC?

A: CONCERTED REACTIONS ARE STEREOSPECIFIC BECAUSE THE BREAKING AND FORMING OF BONDS OCCUR SIMULTANEOUSLY IN A SINGLE TRANSITION STATE. THE SPECIFIC ARRANGEMENT OF ATOMS AND ORBITALS IN THE REACTANTS WITHIN THIS TRANSITION STATE DIRECTLY DICTATES THE SPATIAL ARRANGEMENT OF ATOMS IN THE PRODUCTS. THIS MEANS THAT IF YOU START WITH A PARTICULAR STEREOISOMER OF A REACTANT, YOU WILL OBTAIN A PREDICTABLE AND SPECIFIC STEREOISOMER OF THE PRODUCT, WITH NO SCRAMBLING OF STEREOCHEMISTRY.

Q: CAN YOU GIVE ANOTHER COMMON EXAMPLE OF A CONCERTED REACTION BESIDES THE DIELS-ALDER?

A: CERTAINLY! THE S_N2 (BIMOLECULAR NUCLEOPHILIC SUBSTITUTION) REACTION IS ANOTHER EXCELLENT AND VERY COMMON EXAMPLE OF A CONCERTED REACTION. IN AN S_N2 REACTION, THE NUCLEOPHILE ATTACKS THE ELECTROPHILIC CARBON ATOM FROM THE BACKSIDE AS THE LEAVING GROUP DEPARTS, ALL IN A SINGLE, SYNCHRONIZED STEP. THIS LEADS TO AN INVERSION OF CONFIGURATION AT THE STEREOGENIC CENTER.

Q: WHAT ARE PERICYCLIC REACTIONS, AND HOW DO THEY RELATE TO CONCERTED REACTIONS?

A: PERICYCLIC REACTIONS ARE A MAJOR CLASS OF CONCERTED REACTIONS CHARACTERIZED BY A CYCLIC TRANSITION STATE WHERE ELECTRONS REARRANGE IN A CLOSED LOOP. THEY INVOLVE THE SIMULTANEOUS BREAKING AND FORMING OF SIGMA AND PI BONDS IN A CYCLIC MANNER. EXAMPLES INCLUDE CYCLOADDITIONS, ELECTROCYCLIC REACTIONS, AND SIGMATROPIC REARRANGEMENTS, ALL OF WHICH PROCEED THROUGH A SINGLE TRANSITION STATE WITHOUT INTERMEDIATES.

Q: HOW DO ORBITAL SYMMETRY RULES, LIKE THE WOODWARD-HOFFMANN RULES, APPLY TO CONCERTED REACTIONS?

A: THE WOODWARD-HOFFMANN RULES PREDICT THE STEREOCHEMICAL OUTCOME AND FEASIBILITY OF PERICYCLIC REACTIONS BASED ON THE SYMMETRY OF THE MOLECULAR ORBITALS INVOLVED IN THE TRANSITION STATE. THESE RULES STATE THAT PERICYCLIC REACTIONS THAT ARE THERMALLY ALLOWED (OCCUR READILY AT ROOM TEMPERATURE) INVOLVE A NET MOVEMENT OF ELECTRONS THROUGH A TRANSITION STATE WHERE THE FRONTIER MOLECULAR ORBITALS (HOMO AND LUMO) OF THE REACTING COMPONENTS HAVE THE CORRECT SYMMETRY TO OVERLAP EFFECTIVELY. REACTIONS THAT ARE PHOTOCHEMICALLY ALLOWED OFTEN INVOLVE DIFFERENT SYMMETRY CONSIDERATIONS.

Q: WHAT ROLE DOES STERIC HINDRANCE PLAY IN A CONCERTED REACTION?

A: STERIC HINDRANCE, WHICH REFERS TO THE SPATIAL OBSTRUCTION CAUSED BY BULKY GROUPS ATTACHED TO THE REACTING MOLECULES, CAN SIGNIFICANTLY INFLUENCE CONCERTED REACTIONS. IF BULKY SUBSTITUENTS PREVENT THE OPTIMAL ALIGNMENT OF ORBITALS REQUIRED FOR THE CYCLIC TRANSITION STATE, OR IMPEDE THE NECESSARY APPROACH OF REACTANTS, IT CAN SLOW DOWN THE REACTION RATE OR EVEN PREVENT THE REACTION FROM OCCURRING ALTOGETHER. THE GEOMETRY OF THE TRANSITION STATE IS PARAMOUNT FOR CONCERTED REACTIONS, AND STERICS CAN DISRUPT THIS GEOMETRY.

Q: ARE ALL REACTIONS THAT FORM ALKENES CONCERTED?

A: NOT ALL REACTIONS THAT FORM ALKENES ARE CONCERTED. FOR EXAMPLE, E1 ELIMINATION REACTIONS PROCEED THROUGH A CARBOCATION INTERMEDIATE, MAKING THEM STEPWISE RATHER THAN CONCERTED. HOWEVER, E2 ELIMINATIONS ARE CONCERTED REACTIONS WHERE THE BASE ABSTRACTS A PROTON, THE LEAVING GROUP DEPARTS, AND THE PI BOND FORMS SIMULTANEOUSLY.

Q: HOW DO FACTORS LIKE SOLVENT AND TEMPERATURE AFFECT THE RATE OF A CONCERTED REACTION?

A: SOLVENT AND TEMPERATURE ARE CRUCIAL KINETIC FACTORS. SOLVENTS CAN STABILIZE OR DESTABILIZE THE TRANSITION STATE, THEREBY AFFECTING THE ACTIVATION ENERGY AND REACTION RATE. FOR EXAMPLE, POLAR SOLVENTS MIGHT STABILIZE CHARGED TRANSITION STATES MORE EFFECTIVELY THAN NON-POLAR SOLVENTS. TEMPERATURE PROVIDES THE ENERGY NEEDED TO OVERCOME THE ACTIVATION BARRIER; HIGHER TEMPERATURES GENERALLY LEAD TO FASTER REACTION RATES BY INCREASING THE FREQUENCY AND ENERGY OF MOLECULAR COLLISIONS.

Concerted Reactions Organic Chemistry

Concerted Reactions Organic Chemistry

Related Articles

- [conceptual physics topics easy](#)
- [concentration in algebra](#)
- [concentration in wastewater treatment](#)

[Back to Home](#)