

COVALENT BONDING AND BOILING POINT

WHAT IS COVALENT BONDING AND HOW DOES IT AFFECT BOILING POINT?

COVALENT BONDING AND BOILING POINT ARE INTRINSICALLY LINKED CONCEPTS IN CHEMISTRY, REVEALING FASCINATING INSIGHTS INTO THE BEHAVIOR OF MATTER. UNDERSTANDING HOW ATOMS SHARE ELECTRONS TO FORM COVALENT BONDS IS CRUCIAL FOR PREDICTING AND EXPLAINING THE PHYSICAL PROPERTIES OF SUBSTANCES, PARTICULARLY THEIR BOILING POINTS. THIS ARTICLE WILL DELVE DEEP INTO THE NATURE OF COVALENT BONDS, EXPLORE THE FACTORS THAT INFLUENCE THEIR STRENGTH, AND METICULOUSLY DETAIL HOW THESE MOLECULAR FORCES DIRECTLY IMPACT THE ENERGY REQUIRED TO TRANSITION A SUBSTANCE FROM A LIQUID TO A GASEOUS STATE. WE WILL INVESTIGATE INTRAMOLECULAR FORCES VERSUS INTERMOLECULAR FORCES, THE ROLE OF POLARITY IN BOILING POINT, AND EXAMINE COMMON EXAMPLES TO SOLIDIFY YOUR COMPREHENSION OF THIS FUNDAMENTAL CHEMICAL PRINCIPLE.

TABLE OF CONTENTS

UNDERSTANDING COVALENT BONDS

INTRAMOLECULAR VS. INTERMOLECULAR FORCES

FACTORS INFLUENCING COVALENT BOND STRENGTH

THE DIRECT LINK: COVALENT BONDING AND BOILING POINT

POLARITY'S ROLE IN BOILING POINT

EXAMPLES OF COVALENT COMPOUNDS AND THEIR BOILING POINTS

CONCLUSION: THE ENDURING RELATIONSHIP

UNDERSTANDING COVALENT BONDS

AT ITS CORE, A COVALENT BOND REPRESENTS A POWERFUL PARTNERSHIP BETWEEN ATOMS, WHERE THEY ACHIEVE STABILITY BY SHARING ELECTRONS. UNLIKE IONIC BONDS, WHERE ELECTRONS ARE COMPLETELY TRANSFERRED, COVALENT BONDS INVOLVE A COOPERATIVE EFFORT. IMAGINE TWO PEOPLE NEEDING A TOOL; INSTEAD OF ONE PERSON GIVING THE TOOL TO THE OTHER, THEY DECIDE TO SHARE IT, EACH CONTRIBUTING TO ITS USE. THIS SHARING CREATES A STRONG ATTRACTION, HOLDING THE ATOMS TOGETHER TO FORM MOLECULES. THESE MOLECULES ARE THE BUILDING BLOCKS OF MANY SUBSTANCES WE ENCOUNTER DAILY, FROM WATER TO THE AIR WE BREATHE.

THE FORMATION OF A COVALENT BOND IS DRIVEN BY THE DESIRE OF ATOMS TO ATTAIN A STABLE ELECTRON CONFIGURATION, TYPICALLY RESEMBLING THAT OF NOBLE GASES (LIKE HAVING A FULL OUTER SHELL OF EIGHT ELECTRONS, KNOWN AS THE OCTET RULE, THOUGH EXCEPTIONS EXIST). THIS SHARING ALLOWS EACH ATOM INVOLVED TO EFFECTIVELY "COUNT" THE SHARED ELECTRONS AS PART OF ITS OWN VALENCE SHELL. THE STRENGTH OF THIS BOND DEPENDS ON SEVERAL FACTORS, INCLUDING THE NUMBER OF SHARED ELECTRON PAIRS (SINGLE, DOUBLE, OR TRIPLE BONDS) AND THE SIZE AND ELECTRONEGATIVITY OF THE PARTICIPATING ATOMS. SINGLE BONDS INVOLVE ONE SHARED PAIR, DOUBLE BONDS INVOLVE TWO, AND TRIPLE BONDS INVOLVE THREE, WITH TRIPLE BONDS GENERALLY BEING THE STRONGEST AND SHORTEST.

INTRAMOLECULAR VS. INTERMOLECULAR FORCES

WHEN WE DISCUSS THE PHYSICAL PROPERTIES OF SUBSTANCES, PARTICULARLY THEIR BOILING POINTS, IT'S ESSENTIAL TO DISTINGUISH BETWEEN TWO TYPES OF FORCES: INTRAMOLECULAR AND INTERMOLECULAR. INTRAMOLECULAR FORCES ARE THE STRONG BONDS THAT HOLD ATOMS TOGETHER WITHIN A MOLECULE, SUCH AS COVALENT BONDS. THESE ARE THE CHEMICAL BONDS THEMSELVES. THINK OF THEM AS THE INTERNAL FRAMEWORK OF A HOUSE, HOLDING THE WALLS, ROOF, AND FOUNDATION TOGETHER. THESE BONDS REQUIRE A SIGNIFICANT AMOUNT OF ENERGY TO BREAK, OFTEN INVOLVING CHEMICAL REACTIONS.

INTERMOLECULAR FORCES, ON THE OTHER HAND, ARE THE WEAKER ATTRACTIONS THAT EXIST BETWEEN SEPARATE MOLECULES. THESE ARE NOT CHEMICAL BONDS BUT RATHER ELECTROSTATIC ATTRACTIONS ARISING FROM THE DISTRIBUTION OF ELECTRONS IN MOLECULES. THESE FORCES ARE ANALOGOUS TO THE FORCES THAT KEEP PEOPLE STANDING CLOSE TOGETHER IN A CROWD – NOT A FORMAL BOND, BUT A TENDENCY TO BE NEAR EACH OTHER. EXAMPLES INCLUDE LONDON DISPERSION FORCES, DIPOLE-DIPOLE

INTERACTIONS, AND HYDROGEN BONDS. IT IS THESE INTERMOLECULAR FORCES, NOT THE STRONG COVALENT BONDS WITHIN MOLECULES, THAT ARE PRIMARILY OVERCOME DURING A PHASE CHANGE LIKE BOILING.

FACTORS INFLUENCING COVALENT BOND STRENGTH

THE STRENGTH OF A COVALENT BOND IS A CRITICAL DETERMINANT OF A SUBSTANCE'S PROPERTIES. SEVERAL FACTORS CONTRIBUTE TO HOW TIGHTLY ATOMS ARE HELD TOGETHER. THE NUMBER OF SHARED ELECTRON PAIRS IS PARAMOUNT; AS MENTIONED, TRIPLE BONDS ARE STRONGER THAN DOUBLE BONDS, WHICH ARE STRONGER THAN SINGLE BONDS. FOR INSTANCE, THE TRIPLE BOND IN NITROGEN GAS ($\text{N}\equiv\text{N}$) IS EXCEPTIONALLY STRONG, EXPLAINING WHY NITROGEN GAS IS RELATIVELY UNREACTIVE.

ELECTRONEGATIVITY DIFFERENCES ALSO PLAY A SIGNIFICANT ROLE. ELECTRONEGATIVITY IS AN ATOM'S ABILITY TO ATTRACT SHARED ELECTRONS IN A COVALENT BOND. WHEN TWO ATOMS WITH SIMILAR ELECTRONEGATIVITIES BOND, THE ELECTRONS ARE SHARED RELATIVELY EQUALLY, FORMING A NONPOLAR COVALENT BOND. IF THERE'S A SUBSTANTIAL DIFFERENCE IN ELECTRONEGATIVITY, THE MORE ELECTRONEGATIVE ATOM WILL PULL THE SHARED ELECTRONS CLOSER, CREATING A POLAR COVALENT BOND. THIS UNEVEN DISTRIBUTION OF ELECTRON DENSITY CAN INFLUENCE THE OVERALL POLARITY OF THE MOLECULE AND, CONSEQUENTLY, ITS INTERMOLECULAR INTERACTIONS.

ANOTHER CRUCIAL FACTOR IS BOND LENGTH. GENERALLY, SHORTER COVALENT BONDS ARE STRONGER BECAUSE THE NUCLEI OF THE BONDED ATOMS ARE CLOSER, LEADING TO A GREATER ATTRACTION. THE ATOMIC RADII OF THE BONDED ATOMS INFLUENCE THIS; SMALLER ATOMS TEND TO FORM SHORTER, STRONGER BONDS. CONSIDER THE CARBON-CARBON BOND; A SINGLE BOND IS LONGER AND WEAKER THAN A DOUBLE BOND, WHICH IS LONGER AND WEAKER THAN A TRIPLE BOND. THESE NUANCES IN BOND STRENGTH DIRECTLY IMPACT THE ENERGY NEEDED TO BREAK THEM, THOUGH AGAIN, IT'S THE INTERMOLECULAR FORCES THAT ARE TYPICALLY THE LIMITING FACTOR FOR BOILING POINT.

THE DIRECT LINK: COVALENT BONDING AND BOILING POINT

SO, HOW DOES THE CONCEPT OF COVALENT BONDING DIRECTLY TRANSLATE TO BOILING POINT? IT'S ALL ABOUT HOW MUCH ENERGY IS REQUIRED TO SEPARATE THE MOLECULES OF A SUBSTANCE. BOILING INVOLVES OVERCOMING THE ATTRACTIVE FORCES BETWEEN MOLECULES, ALLOWING THEM TO ESCAPE INTO THE GAS PHASE. WHILE COVALENT BONDS ARE STRONG WITHIN A MOLECULE, IT'S THE INTERMOLECULAR FORCES THAT DICTATE THE BOILING POINT.

THE STRENGTH AND TYPE OF COVALENT BONDING WITHIN A MOLECULE INFLUENCE THE MOLECULE'S POLARITY AND SHAPE. THESE MOLECULAR CHARACTERISTICS, IN TURN, DETERMINE THE STRENGTH OF THE INTERMOLECULAR FORCES. FOR EXAMPLE, MOLECULES FORMED BY POLAR COVALENT BONDS (LIKE WATER) WILL EXPERIENCE STRONGER DIPOLE-DIPOLE INTERACTIONS AND POTENTIALLY HYDROGEN BONDING, LEADING TO HIGHER BOILING POINTS COMPARED TO NONPOLAR MOLECULES OF SIMILAR SIZE AND MASS, WHICH PRIMARILY RELY ON WEAKER LONDON DISPERSION FORCES. THEREFORE, COVALENT BONDING INDIRECTLY BUT POWERFULLY GOVERNS BOILING POINT BY SHAPING THE INTERMOLECULAR LANDSCAPE.

CONSIDER TWO SUBSTANCES WITH SIMILAR MOLAR MASSES. IF ONE SUBSTANCE CONSISTS OF NONPOLAR MOLECULES HELD TOGETHER BY WEAK LONDON DISPERSION FORCES, ITS BOILING POINT WILL BE RELATIVELY LOW. IF THE OTHER SUBSTANCE CONSISTS OF POLAR MOLECULES, EXPERIENCING DIPOLE-DIPOLE INTERACTIONS OR EVEN HYDROGEN BONDING, ITS BOILING POINT WILL BE SIGNIFICANTLY HIGHER BECAUSE MORE ENERGY IS NEEDED TO OVERCOME THESE STRONGER INTERMOLECULAR ATTRACTIONS.

POLARITY'S ROLE IN BOILING POINT

THE POLARITY OF A MOLECULE, WHICH IS A DIRECT CONSEQUENCE OF THE NATURE OF ITS COVALENT BONDS, IS A SIGNIFICANT FACTOR IN DETERMINING ITS BOILING POINT. WHEN ATOMS WITH DIFFERENT ELECTRONEGATIVITIES FORM A COVALENT BOND, ELECTRONS ARE NOT SHARED EQUALLY. THIS CREATES A PARTIAL POSITIVE CHARGE ON ONE ATOM AND A PARTIAL NEGATIVE

CHARGE ON THE OTHER, RESULTING IN A POLAR COVALENT BOND. IF THESE POLAR BONDS ARE ARRANGED IN A WAY THAT THE MOLECULE HAS AN OVERALL SEPARATION OF CHARGE, IT IS CONSIDERED A POLAR MOLECULE.

POLAR MOLECULES ATTRACT EACH OTHER THROUGH DIPOLE-DIPOLE INTERACTIONS. THE PARTIALLY POSITIVE END OF ONE MOLECULE IS ATTRACTED TO THE PARTIALLY NEGATIVE END OF ANOTHER. THESE ATTRACTIONS ARE STRONGER THAN THE RANDOM FLUCTUATIONS OF ELECTRONS THAT CAUSE LONDON DISPERSION FORCES IN NONPOLAR MOLECULES. CONSEQUENTLY, POLAR MOLECULES GENERALLY HAVE HIGHER BOILING POINTS THAN NONPOLAR MOLECULES OF COMPARABLE MOLECULAR WEIGHT.

THE STRONGEST TYPE OF INTERMOLECULAR FORCE, HYDROGEN BONDING, OCCURS WHEN HYDROGEN IS BONDED TO A HIGHLY ELECTRONEGATIVE ATOM LIKE OXYGEN, NITROGEN, OR FLUORINE. WATER (H_2O) IS A PRIME EXAMPLE. THE OXYGEN ATOM IS HIGHLY ELECTRONEGATIVE, CREATING VERY POLAR O-H BONDS AND A STRONG PARTIAL NEGATIVE CHARGE ON OXYGEN AND PARTIAL POSITIVE CHARGES ON THE HYDROGENS. THESE PARTIAL POSITIVE HYDROGENS ARE STRONGLY ATTRACTED TO THE LONE PAIRS OF ELECTRONS ON THE OXYGEN ATOMS OF NEIGHBORING WATER MOLECULES, FORMING STRONG HYDROGEN BONDS. THIS INTENSE INTERMOLECULAR ATTRACTION IS WHY WATER HAS A REMARKABLY HIGH BOILING POINT (100°C AT STANDARD PRESSURE) FOR ITS RELATIVELY SMALL MOLECULAR SIZE.

EXAMPLES OF COVALENT COMPOUNDS AND THEIR BOILING POINTS

LET'S LOOK AT SOME CONCRETE EXAMPLES TO ILLUSTRATE THESE PRINCIPLES. CONSIDER METHANE (CH_4). CARBON AND HYDROGEN HAVE SIMILAR ELECTRONEGATIVITIES, SO THE C-H BONDS ARE LARGELY NONPOLAR, AND METHANE ITSELF IS A NONPOLAR MOLECULE. IT EXHIBITS ONLY WEAK LONDON DISPERSION FORCES. AS A RESULT, METHANE HAS A VERY LOW BOILING POINT, AROUND -161.5°C .

NOW, LET'S EXAMINE AMMONIA (NH_3). NITROGEN IS SIGNIFICANTLY MORE ELECTRONEGATIVE THAN HYDROGEN, MAKING THE N-H BONDS POLAR. AMMONIA IS ALSO A POLAR MOLECULE, AND CRUCIALLY, IT CAN FORM HYDROGEN BONDS. THESE HYDROGEN BONDS ARE MUCH STRONGER THAN THE LONDON DISPERSION FORCES IN METHANE. THEREFORE, AMMONIA HAS A MUCH HIGHER BOILING POINT, AROUND -33°C , DESPITE HAVING A SIMILAR MOLECULAR WEIGHT TO METHANE.

WATER (H_2O), AS DISCUSSED, IS A CLASSIC EXAMPLE OF A POLAR MOLECULE WITH STRONG HYDROGEN BONDING. ITS BOILING POINT OF 100°C IS A TESTAMENT TO THE POWER OF THESE INTERMOLECULAR FORCES, WHICH ARE A DIRECT CONSEQUENCE OF THE POLAR COVALENT O-H BONDS AND THE MOLECULE'S GEOMETRY.

ANOTHER EXAMPLE IS CARBON DIOXIDE (CO_2). ALTHOUGH THE C=O BONDS ARE POLAR, THE MOLECULE IS LINEAR AND SYMMETRICAL. THE POLARITIES OF THE TWO C=O BONDS CANCEL EACH OTHER OUT, MAKING CO_2 A NONPOLAR MOLECULE. IT PRIMARILY EXHIBITS WEAK LONDON DISPERSION FORCES. CONSEQUENTLY, CO_2 HAS A VERY LOW BOILING POINT; IT SUBLIMES (TRANSITIONS DIRECTLY FROM SOLID TO GAS) AT -78.5°C AT ATMOSPHERIC PRESSURE.

THESE EXAMPLES HIGHLIGHT THE CRITICAL ROLE OF INTERMOLECULAR FORCES, WHICH ARE DICTATED BY THE NATURE OF COVALENT BONDING AND MOLECULAR POLARITY, IN DETERMINING A SUBSTANCE'S BOILING POINT.

CONCLUSION: THE ENDURING RELATIONSHIP

THE INTRICATE DANCE BETWEEN COVALENT BONDING AND BOILING POINT IS A CORNERSTONE OF CHEMICAL UNDERSTANDING. WE'VE SEEN HOW THE SHARING OF ELECTRONS FORMS THE VERY FOUNDATION OF MOLECULES, AND HOW THE CHARACTERISTICS OF THESE COVALENT BONDS—THEIR POLARITY, STRENGTH, AND THE ATOMS INVOLVED—DIRECTLY SHAPE THE INTERMOLECULAR FORCES THAT GOVERN PHASE TRANSITIONS. WHILE THE COVALENT BONDS THEMSELVES REMAIN INTACT DURING BOILING, IT IS THE STRENGTH OF THE ATTRACTIONS BETWEEN THESE COVALENTLY BONDED MOLECULES THAT DICTATES HOW MUCH ENERGY IS NEEDED TO LIBERATE THEM INTO THE GASEOUS STATE. FROM THE LOW BOILING POINTS OF SIMPLE NONPOLAR HYDROCARBONS TO THE RELATIVELY HIGH BOILING POINTS OF POLAR MOLECULES CAPABLE OF HYDROGEN BONDING, THE RELATIONSHIP IS UNDENIABLE AND PREDICTABLE. THIS KNOWLEDGE IS NOT JUST ACADEMIC; IT'S FUNDAMENTAL TO COMPREHENDING THE PHYSICAL WORLD AROUND US AND DESIGNING NEW MATERIALS WITH SPECIFIC PROPERTIES.

FREQUENTLY ASKED QUESTIONS

Q: WHAT IS THE PRIMARY FORCE THAT IS OVERCOME DURING THE BOILING OF A COVALENT COMPOUND?

A: THE PRIMARY FORCE OVERCOME DURING THE BOILING OF A COVALENT COMPOUND IS THE INTERMOLECULAR FORCES BETWEEN THE MOLECULES. WHILE COVALENT BONDS HOLD ATOMS TOGETHER WITHIN A MOLECULE, THESE ARE NOT BROKEN DURING BOILING. INSTEAD, THE WEAKER ATTRACTIONS (LIKE LONDON DISPERSION FORCES, DIPOLE-DIPOLE INTERACTIONS, AND HYDROGEN BONDS) BETWEEN SEPARATE MOLECULES ARE OVERCOME, ALLOWING THEM TO ESCAPE INTO THE GAS PHASE.

Q: HOW DOES THE NUMBER OF COVALENT BONDS BETWEEN ATOMS AFFECT BOILING POINT?

A: THE NUMBER OF COVALENT BONDS BETWEEN ATOMS (SINGLE, DOUBLE, OR TRIPLE) DIRECTLY AFFECTS THE STRENGTH OF THE INTRAMOLECULAR BOND. STRONGER INTRAMOLECULAR BONDS MEAN THE MOLECULE IS MORE STABLE INTERNALLY. HOWEVER, FOR BOILING POINT, IT'S THE INTERMOLECULAR FORCES THAT ARE KEY. WHILE STRONGER INTRAMOLECULAR BONDS MIGHT INDIRECTLY INFLUENCE MOLECULAR SHAPE AND POLARITY, WHICH IN TURN AFFECT INTERMOLECULAR FORCES, THE DIRECT EFFECT ON BOILING POINT IS THROUGH INTERMOLECULAR ATTRACTIONS, NOT THE BREAKING OF THESE INTERNAL COVALENT BONDS.

Q: DOES A HIGHER MELTING POINT ALWAYS MEAN A HIGHER BOILING POINT FOR COVALENT COMPOUNDS?

A: GENERALLY, YES. BOTH MELTING AND BOILING INVOLVE OVERCOMING INTERMOLECULAR FORCES. SINCE STRONGER INTERMOLECULAR FORCES REQUIRE MORE ENERGY TO OVERCOME, SUBSTANCES WITH STRONGER ATTRACTIONS BETWEEN THEIR MOLECULES WILL TYPICALLY HAVE BOTH HIGHER MELTING AND BOILING POINTS. HOWEVER, THERE CAN BE EXCEPTIONS DUE TO SPECIFIC CRYSTAL LATTICE STRUCTURES AFFECTING MELTING POINT DIFFERENTLY THAN VAPOR PRESSURE AFFECTING BOILING POINT.

Q: WHAT IS ELECTRONEGATIVITY, AND HOW DOES IT RELATE TO COVALENT BONDING AND BOILING POINT?

A: ELECTRONEGATIVITY IS AN ATOM'S TENDENCY TO ATTRACT SHARED ELECTRONS IN A COVALENT BOND. A SIGNIFICANT DIFFERENCE IN ELECTRONEGATIVITY BETWEEN BONDED ATOMS LEADS TO POLAR COVALENT BONDS, WHERE ELECTRON DENSITY IS UNEVENLY DISTRIBUTED. THIS UNEVEN DISTRIBUTION CREATES MOLECULAR DIPOLES, WHICH ARE RESPONSIBLE FOR DIPOLE-DIPOLE INTERACTIONS AND HYDROGEN BONDING. THESE STRONGER INTERMOLECULAR FORCES, ARISING FROM POLAR COVALENT BONDS, LEAD TO HIGHER BOILING POINTS COMPARED TO NONPOLAR MOLECULES WITH WEAKER LONDON DISPERSION FORCES.

Q: WHY DO VERY SMALL NONPOLAR MOLECULES HAVE VERY LOW BOILING POINTS?

A: VERY SMALL NONPOLAR MOLECULES HAVE VERY LOW BOILING POINTS BECAUSE THEY ONLY EXHIBIT WEAK LONDON DISPERSION FORCES BETWEEN THEM. THESE FORCES ARISE FROM TEMPORARY, INDUCED FLUCTUATIONS IN ELECTRON DISTRIBUTION. FOR SMALL MOLECULES WITH FEW ELECTRONS, THESE FLUCTUATIONS ARE LESS SIGNIFICANT, RESULTING IN WEAK ATTRACTIONS. THEREFORE, VERY LITTLE ENERGY IS REQUIRED TO OVERCOME THESE FORCES AND TRANSITION THE SUBSTANCE INTO A GAS.

Q: CAN A SUBSTANCE WITH STRONG COVALENT BONDS HAVE A LOW BOILING POINT?

A: YES, ABSOLUTELY. A SUBSTANCE CAN HAVE VERY STRONG COVALENT BONDS HOLDING ITS ATOMS TOGETHER WITHIN THE MOLECULES, BUT IF THE INTERMOLECULAR FORCES BETWEEN THOSE MOLECULES ARE WEAK, IT WILL HAVE A LOW BOILING POINT. FOR EXAMPLE, DIAMOND, WHICH IS A GIANT COVALENT NETWORK, HAS EXTREMELY STRONG COVALENT BONDS THROUGHOUT,

LEADING TO AN INCREDIBLY HIGH MELTING POINT (SUBLIMATION POINT ABOVE 3550°C). HOWEVER, A MOLECULE LIKE METHANE (CH_4) HAS STRONG C-H COVALENT BONDS BUT ONLY WEAK INTERMOLECULAR FORCES, RESULTING IN A VERY LOW BOILING POINT.

Q: WHAT IS A HYDROGEN BOND, AND HOW DOES IT IMPACT THE BOILING POINT OF COVALENT COMPOUNDS?

A: A HYDROGEN BOND IS A SPECIAL TYPE OF STRONG DIPOLE-DIPOLE INTERACTION THAT OCCURS WHEN A HYDROGEN ATOM BONDED TO A HIGHLY ELECTRONEGATIVE ATOM (LIKE OXYGEN, NITROGEN, OR FLUORINE) IS ATTRACTED TO A LONE PAIR OF ELECTRONS ON ANOTHER ELECTRONEGATIVE ATOM IN A NEIGHBORING MOLECULE. THESE ARE THE STRONGEST TYPE OF INTERMOLECULAR FORCES. COMPOUNDS CAPABLE OF HYDROGEN BONDING, LIKE WATER AND ALCOHOLS, GENERALLY HAVE SIGNIFICANTLY HIGHER BOILING POINTS THAN SIMILAR COMPOUNDS THAT CANNOT FORM HYDROGEN BONDS, BECAUSE MUCH MORE ENERGY IS NEEDED TO OVERCOME THESE STRONG ATTRACTIONS.

Covalent Bonding And Boiling Point

Covalent Bonding And Boiling Point

Related Articles

- [cppcoreguidelines for game development](#)
- [cover letter examples for jobs in michigan](#)
- [cover letter examples for tailoring to the job](#)

[Back to Home](#)